

Trade name: Therminol D-12**Product no.:** 5008077**Current version :** 1.2.0, issued: 27.10.2021**Replaced version:** 1.1.0, issued: 23.07.2021**Region:** GB**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name****Therminol D-12**

Substance name Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics
REACH registration no. 01-2119472146-39

Identification numbers

EC no. 918-167-1

1.2 Relevant identified uses of the substance or mixture and uses advised against**Relevant identified uses of the substance or mixture**

heat transfer fluids

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet**Address**

Krahn Chemie Deutschland GmbH

Grimm 10

20457 Hamburg

Deutschland

Telephone no. +49 40 320 92-0

Fax no. +49 40 320 92-322

Information provided by / telephone

+49 40 320 92-0

Advice on Safety Data Sheet

msds@krahn.eu

1.4 Emergency telephone number

For medical advice (in German and English):

+49 551 192 40 (Giftinformationszentrum Nord)

In case of transport incidents and other emergencies:

+44 (0)1235 239 670 (NCEC, National Chemical Emergency Centre)

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Asp. Tox. 1; H304

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3 and 4 of Annex I to CLP.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)****Product identifier**

918-167-1 (Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics)

Hazard pictograms

GHS08

Signal word

Danger

Hazard statement(s)

H304

May be fatal if swallowed and enters airways.

Hazard statements (EU)

EUH066

Repeated exposure may cause skin dryness or cracking.

Precautionary statement(s)

P301+P310

IF SWALLOWED: Immediately call a POISON CENTER/doctor.

Trade name: Therminol D-12**Product no.:** 5008077**Current version :** 1.2.0, issued: 27.10.2021**Replaced version:** 1.1.0, issued: 23.07.2021**Region:** GB

P331 Do NOT induce vomiting.
P405 Store locked up.
P501 Dispose of contents/container to an approved waste facility.

2.3 Other hazards

Contact with molten material may cause thermal burns.

PBT assessment

The product is not considered to be a PBT.

vPvB assessment

The product is not considered to be a vPvB.

SECTION 3: Composition/information on ingredients**3.1 Substances****Chemical characterization**

Substance name Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics

Identification numbers

EC no. 918-167-1

3.2 Mixtures

Not applicable. The product is not a mixture.

SECTION 4: First aid measures**4.1 Description of first aid measures****General information**

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. If the patient is likely to become unconscious, place and transport in stable sideways position.

After inhalation

Ensure supply of fresh air. Remove affected person from the immediate area. In case of breathing difficulties give oxygen.

After skin contact

When in contact with the skin, clean with soap and water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes).

After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting - aspiration hazard. Call a doctor immediately. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed**Effects**

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Water mist; Carbon dioxide; Dry chemical extinguisher; Foam

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixtureIn the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO₂)**5.3 Advice for firefighters**

Use self-contained breathing apparatus. Wear protective clothing. Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. Do not inhale vapours. High risk of slipping due to leakage/spillage of product. Keep away from ignition sources. Avoid contact with skin, eyes and clothing.

For emergency responders

Trade name: Therminol D-12

Product no.: 5008077

Current version : 1.2.0, issued: 27.10.2021

Replaced version: 1.1.0, issued: 23.07.2021

Region: GB

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Prevent spread over a wide area. Take up with absorbent material (e.g., sand, kieselguhr, universal binder). Send in suitable containers for recovery or disposal.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). If workplace exposure limits are exceeded, respiratory protection approved for this particular job must be worn. Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Observe information on personal protection equipment (see section 8). Transfer and handle only in enclosed systems. Provide suitable exhaust ventilation at the processing machines.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and after work. Avoid contact with eyes and skin. Provide eye wash fountain in work area. Do not inhale vapours. Remove soiled or soaked clothing immediately.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition. Take precautionary measures against static charges.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Keep only in the original container.

Incompatible products

Do not store together with: oxidizing agents

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

No parameters available for monitoring.

8.2 Exposure controls

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. Respirator with particulate filter

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves. Heat-resistant gloves when using hot material (EN 407).

Other

Chemical-resistant work clothes. Make sure when selecting personal protective equipment (PPE), that it is suitable for the activity, workplace conditions in which it will be used according to the applying European CEN standards and upon consultation with the PPE supplier.

Environmental exposure controls

No data available.

Trade name: Therminol D-12**Product no.:** 5008077**Current version :** 1.2.0, issued: 27.10.2021**Replaced version:** 1.1.0, issued: 23.07.2021**Region:** GB**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

State of aggregation			
liquid			
Form/Colour			
Oily			
colourless			
Odour			
mild			
pH value			
No data available			
Boiling point / boiling range			
Value	192	°C	
Reference pressure	1013	hPa	
Melting point/freezing point			
Value	<	-100	°C
Decomposition temperature			
No data available			
Flash point			
Value	62	°C	
Method	Pensky-Martens closed cup		
Ignition temperature			
No data available			
Auto-ignition temperature			
Value	247	°C	
Method	ASTM E 659		
Flammability			
Not applicable			
Lower explosion limit			
Value	0.6	% vol	
Upper explosion limit			
Value	6.5	% vol	
Vapour pressure			
Value	<	1	hPa
Reference temperature	20	°C	
Relative vapour density			
No data available			
Relative density			
Value	0.763		
Density			
Value	756	g/cm³	
Reference temperature	25	°C	
Solubility in water			
Value	<	1	mg/l
Reference temperature	25	°C	
Solubility			
No data available			
Partition coefficient n-octanol/water (log value)			
No data available			
Viscosity			
Value	1.23	mm²/s	
Reference temperature	40	°C	
Type	kinematic		
Value	14.8	mm²/s	
Reference temperature	-50	°C	
Type	kinematic		
Value	0.65	mm²/s	

Trade name: Therminol D-12**Product no.:** 5008077**Current version :** 1.2.0, issued: 27.10.2021**Replaced version:** 1.1.0, issued: 23.07.2021**Region:** GB

Reference temperature	100 °C
Type	kinematic

Particle characteristics
No data available

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

Dangerous reactions are not expected if the product is handled according to its intended use.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

10.5 Incompatible materials

Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics	-	918-167-1
LD50	>	5000	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		

Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics	-	918-167-1
LD50	>	2000	mg/kg bodyweight
Species	rat		
Method	OECD 402		
Source	ECHA		

Acute inhalational toxicity			
No data available			

Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics	-	918-167-1
Species	rabbit		
Method	OECD 404		
Source	ECHA		
Evaluation	non-irritant		

Serious eye damage/irritation			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics	-	918-167-1
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	non-irritant		

Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics	-	918-167-1
Route of exposure	Skin		
Species	guinea pig		

Trade name: Therminol D-12**Product no.:** 5008077**Current version :** 1.2.0, issued: 27.10.2021**Replaced version:** 1.1.0, issued: 23.07.2021**Region:** GB

Method	OECD 406
Source	ECHA
Evaluation	non-sensitizing

Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics	-	918-167-1
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Reproduction toxicity			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics	-	918-167-1
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Carcinogenicity			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics	-	918-167-1
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

STOT - single exposure	
No data available	

STOT - repeated exposure	
No data available	

Aspiration hazard	
In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.	

Delayed and immediate effects as well as chronic effects from short and long-term exposure	
Contact with hot material may cause thermal burns.	

11.2 Information on other hazards**Endocrine disrupting properties**

No data available.

Other information

No data available.

SECTION 12: Ecological information**12.1 Toxicity**

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics	-	918-167-1
LL50		>	1000 mg/l
Duration of exposure		96	h
Species	Oncorhynchus mykiss		
Method	OECD 203		
Source	ECHA		

Toxicity to fish (chronic)	
No data available	

Toxicity to Daphnia (acute)			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics	-	918-167-1
EL50		>	1000 mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		

Toxicity to Daphnia (chronic)			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics	-	918-167-1
NOELR		>	1 mg/l
Duration of exposure		21	day(s)
Species	Daphnia magna		
Method	OECD 211		
Source	ECHA		

Trade name: Therminol D-12**Product no.:** 5008077**Current version :** 1.2.0, issued: 27.10.2021**Replaced version:** 1.1.0, issued: 23.07.2021**Region:** GB

Toxicity to algae (acute)			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics	-	918-167-1
EL50		>	1000 mg/l
Duration of exposure		72	h
Species	Pseudokirchneriella subcapitata		
Method	OECD 201		
Source	ECHA		
Toxicity to algae (chronic)			
No data available			
Bacteria toxicity			
No data available			

12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics	-	918-167-1
Type	aerobic biodegradation		
Value		31	%
Duration		28	day(s)
Method	OECD 301 F		
Source	ECHA		
Evaluation	inherently biodegradable		

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	The product is not considered to be a PBT.
vPvB assessment	The product is not considered to be a vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information
Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.
Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information**14.1 Transport ADR/RID/ADN**

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information

No data available.

Trade name: Therminol D-12**Product no.:** 5008077**Current version :** 1.2.0, issued: 27.10.2021**Replaced version:** 1.1.0, issued: 23.07.2021**Region:** GB**14.5 Environmental hazards**

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

In accordance with the REACH regulation (EC) 1907/2006, the product does not contain any substances that are considered as subject to listing in annex XIV, inventory of substances requiring authorisation.

REACH candidate list of substances of very high concern (SVHC) for authorisation

In accordance with article 57 and article 59 of the Reach regulation (EC) 1907/2006, this substance is not considered as subject to listing in annex XIV, inventory of substances requiring authorisation ("Authorization list").

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No 3

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This substance is not subject to Part 1 or 2 of Annex I

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this substance.

SECTION 16: Other information**Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 702578